

New Product Range - Lube Pro

23203L



Lube Pro Mobile Oil Kit 205L-23203L

This kit facilitates the easy portability of a 200-210L drum of oil in the workshop area and provides an efficient means of dispensing. This kit is best suited for dispensing low to medium viscosity oils.

Kit Contains

- 4 Wheel trolley with 2 rear swivel wheels,
- 3:1 Pneumatic oil drum pump,
- 4m Delivery hose,
- Digital oil meter gun with flexible outlet & auto non-drip nozzle,

Lube Pro 2 Drum Containment Pallet-C-2DSFCP-L

A full containment spill pallet to suit 2 drums. This bund exceeds the NZ regulation spill containment requirement for drums up to 220L. Moulded from high-density polyethylene (HDPE), this unit offers secondary containment for drums of oil, chemicals, and other compatible fluids. The maximum permitted single drum or container capacity for this pallet is 220L. Removable grate. Nestable design allows multiple units to be stacked together.

C-2DSFCP-L



Lube Pro Pneumatic Grease Kit, 50:1-15125L

A quality grease kit which includes pneumatic grease pump, drum cover, follower plate, 4m hose, Z swivel & control valve, and is suitable for most standard greasing applications from 18 - 20Kg pails.

This highly popular 50:1 pneumatic grease kit is widely used in many industry sectors such as automotive, agricultural, truck, and bus servicing industries.

- Pneumatic pump; 50:1 pressure ratio.
- Includes drum cover & follower plate.
- 4m Dispensing hose.
- Includes dispensing handpiece & Z swivel.

15125L



www.alleuroparts.co.nz - 0800 255 387 - parts@alleuroparts.co.nz



New Product Range - Lube Pro



30080L

Lube Pro Telescopic Oil Drainer 80L-30080L

80L tank capacity.
18L collection bowl capacity.
Height is adjustable from 1050mm to 1630mm high.
Pneumatic reservoir discharge system through 2m hose. Designed for automotive use only - not suitable for use with trucks.



32065L

Lube Pro Air Operated Combined Oil Suction/Gravity Drainer 65L-32065L

This unit generates venturi suction using compressed air, extracted oil accumulates in the inspection chamber. Suits both gravity and extraction draining methods. 8L transparent reservoir showing volume & quality of oil extracted. Includes 6 different suction probes with quick connector. Suction speed of 1 - 2L/min with warm oil. Gauge displays vacuum pressure. Pneumatic reservoir discharge system through 2m hose. Not for use with corrosive or flammable liquids.



323320027A - 2Litre

323320058A - 5Litre

323320010A - 1Litre

Oil Measuring Jugs

Use these plastic measuring jugs to facilitate greater accuracy for manual oil dispensing. Includes screw on lid, and cap for end of spout. Made of polyethylene.



65020L

Spring Auto Retract Cable Reel 20m - 65020L

Avoid tripping hazards in the workshop! 10 Amp single phase extension cord on auto retract reel. Features industrial grade rubber sheathed flex cord- 1.5mm 2 core + earth. Compact design. Re-settable thermal overload switch for overload protection.

www.alleuroparts.co.nz - 0800 255 387 - parts@alleuroparts.co.nz



New Product Range - Lube Pro



Lube Pro Aluminium Rotary Oil & Diesel Transfer Pump - DP0250AL

An economical method of dispensing low to medium viscosity oil, kerosene and diesel from drums. This aluminium rotary drum pump is a popular choice for simple low volume dispensing operations.

Suits 50 - 210L drums.
Dispenses up to 20L/minute.
Standard 2" BSPM drum thread adaptor & 3 piece suction tube.

Lube Pro Manual Piston Oil Pump - PP20L-P

Suitable for use with most types of 20L oil containers (additional thread adapter may be required - alternate kits are available with adaptor included).

Suitable for all oil types.
1.5m Anti-kink dispensing hose with nozzle valve to reduce dripping.
Telescopic suction tube extension to suit different height containers.



Lube Pro Spring Operated Oil Pump, 20L-SP20L

With a nozzle holder which drains back into the container, this heavy duty little pump is packed with features, and is an excellent investment. This pump fits more 20L container types than any other spring pump on the market (additional thread adapter may be required).

Suitable for all oil types.
250ml per stroke, approx delivery rate.
1.5m Anti-kink dispensing hose with thumb trigger dispensing valve.
Suction tube can be extended to suit tall containers.
Includes handle retaining clip for compact storage when not in use.



www.alleuroparts.co.nz - 0800 255 387 - parts@alleuroparts.co.nz