



AIR COMPRESSOR RANGE & ACCESSORIES



A COMPLETE RANGE OF TRADE AND INDUSTRIAL
AIR COMPRESSORS FOR EVERY APPLICATION

AC DIRECT DRIVE SERIES

AC Series - Air Command's no.1 Compressor model in NZ

European design and solid and reliable performer for trade and agricultural use.
Tried and trusted by thousands throughout New Zealand and Australia for many years.



AC91 DIRECT DRIVE COMPRESSOR

- Ideal for the tradesman who requires a small single phase, portable source of compressed air for light duty work but also wants reliability not often found on cheaper models.
- Features 24 litre receiver complete with regulator for continuous pressure.
- 12 Month trade warranty.

Motor Size:	2hp
Best Displacement:	8.1cfm, 228L/min
Air Delivery: (@90psi)	5.2cfm, 148L/min
Maximum Pressure:	125psi
Cylinders:	1
Pump Speed:	2850rpm
Tank Capacity:	24 Litres
Dimensions: (L x W x H)	57 x 27 x 60cm
Weight:	24kg



AC101 DIRECT DRIVE COMPRESSOR

- A lightweight, very portable Single Phase Compressor, easily handled by one person.
- Powerful 2.5HP motor/pump unit and 50 Litres tank for continuous pressure.
- Largest direct drive compressor available in the Air Command range.
- Suitable for running nailing and stapling machines.

Motor Size:	2.5hp
Best Displacement:	9cfm, 254L/min
Air Delivery: (@90psi)	5.8cfm, 165L/min
Maximum Pressure:	125psi
Cylinders:	1
Pump Speed:	2850rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	68 x 30 x 62cm
Weight:	34kg



ACECONOMY SERIES

Air Command's "Economy" range of belt drive compressors are built for the serious DIY and light trade users. Equipped with large twin cylinder pumps and high quality electric motors, the AC13 and AC15 are ideal for the serious home/shed project and will even produce enough air for a small workshop.



AC13 BELT DRIVE COMPRESSOR

- A lightweight, very portable single phase compressor, easily handled by one person.
- Provides ample air supply to operate most tradesman's air tools.
- Sturdy construction with a steel belt guard and a well balanced, easy-to-wheel design.
- Air dashboard with filter/regulator and two ARO couplers for ease of operation and protection of regulators/watertrap.
- Ideal for serious DIY and light trade projects.

Motor Size:	2hp
Best Displacement:	10cfm, 284L/min
Air Delivery: (@90psi)	7.5cfm, 212L/min
Maximum Pressure:	125psi
Cylinders:	2
Pump Speed:	1390rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	80 x 40 x 73cm
Weight:	53kg



AC15 BELT DRIVE COMPRESSOR

- Large 3hp single phase compressor with a 50 litre receiver.
- Provides plenty of air of spraying, joinery work, decorating and running numerous air tools.
- Big on output and still fully portable with a well balanced easy-to-wheel design.
- Air dashboard with filter/regulator and ARO coupler for ease of operation and protection of regulator/watertrap.
- Ideal for serious DIY and light trade projects.
- 15 amp plug for ultimate performance.

Motor Size:	3.0hp
Best Displacement:	12.4cfm, 350L/min
Air Delivery: (@90psi)	9.3cfm, 262L/min
Maximum Pressure:	125psi
Cylinders:	2
Pump Speed:	1390rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	80 x 40 x 73cm
Weight:	60kg



AC TRADE SERIES

European design, Italian manufactured and solid and reliable performer for trade and agricultural use. Tried and trusted by thousands through New Zealand and Australia for over 25 Years.



AC12i BELT DRIVE COMPRESSOR

- A lightweight, very portable single phase compressor.
- Heavy duty, oversized, slow revving, full shell bearing pump with a high air-flow flywheel and built-in after cooler for cooler, drier air supply and longer life.
- Industrial Vemat electric motor with thermal overload protection.
- Low current draw (under 10 amps) and quiet in operation
- Ideal for the tradesman and on-site work.
- Includes Filter regulator!

Motor Size: ITALIAN	2hp
Best Displacement:	11.1cfm, 315L/min
Air Delivery: (@90psi)	8.9cfm, 252L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1330rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	75 x 35 x 75cm
Weight:	42kg



LOOK! Oversize
slow revving pump



AC16i BELT DRIVE COMPRESSOR

- The largest output on single phase power - 30% larger in output than the AC12i.
- Heavy duty, oversized slow revving, full shell bearing pump with a high airflow flywheel and built-in after cooler for cooler, drier air supply and longer life.
- Industrial Vemat electric motor with thermal overload protection. Capable of running two nail guns at once - the AC16i is packed with power!
- 15 amp plug for ultimate performance.
- Includes Filter regulator!


Motor Size:	3hp
Best Displacement:	14.9cfm, 421L/min
Air Delivery: (@90psi)	11.9cfm, 337L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1100rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	75 x 35 x 75cm
Weight:	52kg



AC TRADE SERIES

Designed and built from the best European components and assembled in Italy. The Trade Series "1600s" are intended for the toughest conditions found in NZ workshops, farms and garages. Vemat electric motors, oversize pumps and memar pressure switches - these machines will be with you for life.

LOOK! Slow
revving pump



AC1600I BELT DRIVE COMPRESSOR

- Physically the largest single phase compressor, with 100L air receiver.
- Heavy duty, oversized, slow revving, full shell bearing pump with a high airflow flywheel and built-in after cooler for cooler, drier air supply and longer life.
- Industrial Vemat electric motor with thermal overload protection.
- Large tank gives extra air storage and less stops/starts.
- Brilliant for the small factory where 3 phase power is not available.
- 15 amp plug for ultimate performance.
- Includes Filter regulator!

Motor Size:	3hp
Best Displacement:	14.9cfm, 421L/min
Air Delivery: (@90psi)	11.9cfm, 337L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1100rpm
Tank Capacity:	100 Litres
Dimensions: (L x W x H)	105 x 39 x 92cm
Weight:	60kg



LOOK!
Three Phase Motor!



AC1600/3 BELT DRIVE COMPRESSOR

- Three phase motor eliminates start up problems in areas with poor power supply.
- Heavy duty, oversized, slow revving, full shell bearing pump with a high airflow flywheel and built-in after cooler, for cooler, drier air supply and longer life.
- Industrial Vemat electric motor with thermal overload protection.
- Large tank gives extra air storage and less stops/starts.
- Ideal for the dairy shed or small factory.

Motor Size:	3hp
Best Displacement:	14.9cfm, 421L/min
Air Delivery: (@90psi)	11.9cfm, 337L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1100rpm
Tank Capacity:	100 Litres
Dimensions: (L x W x H)	105 x 39 x 92cm
Weight:	60kg



TRADESMAN & WORKSHOP SERIES

Air Command's 100% Italian made compressors... because everyone wants quality that lasts! Take the oversized and slow revving pumps with large after coolers, the separate base / tank mount configuration, the generous ergonomic handles - easy to wheel, lift and tie down, the large 250mm pneumatic wheels and anti-vibration feet... the list goes on! Lightweight yet heavy duty, cast iron cylinder high output yet low noise... and smooth! Air Command's industrial rated Tradesman's and Workshop's come out on top every time!



LOOK!
Aluminium pump with
cast iron bore



TRADESMAN 12 INDUSTRIAL SINGLE PHASE COMPRESSOR

- Very portable and easily handled by one person - the tradesman's dream!
- Low current draw, quiet in operation and provides ample air output to run most air tools.
- Heavy duty oversized, slow revving, full shell-bearing pump with a high airflow flywheel and built-in after cooler, for cooler, drier air supply and longer life.
- Heavy duty Italian motor with thermal overload.
- Large pneumatic wheels providing great manoeuvrability around the field or site.
- 10A input power plug for versatility

Motor Size:	2hp
Best Displacement:	11.1cfm, 315L/min
Air Delivery: (@90psi)	8.9cfm, 252L/min
Maximum Pressure:	135psi
Cylinders:	2
Pump Speed:	1330rpm
Tank Capacity:	50 litres
Dimensions: (L x W x H)	75 x 35 x 75cm
Weight:	49kg



LOOK! Oversize
slow revving pump



WORKSHOP 16 INDUSTRIAL SINGLE PHASE COMPRESSOR

- Single phase - 3HP.
- Ideal for a small automotive workshop.
- Largest air output available in NZ on single phase power.
- Heavy duty oversized, slow revving, full shell-bearing pump with a high airflow flywheel and built-in after cooler, for cooler, drier air supply and longer life.
- Heavy duty Italian motor with thermal overload.
- Large pneumatic wheels providing great manoeuvrability around the field or site.
- 15 amp plug for ultimate performance

Motor Size:	3hp
Best Displacement:	14.9cfm, 421L/min
Air Delivery: (@90psi)	11.9cfm, 337L/min
Maximum Pressure:	135psi
Cylinders:	2
Pump Speed:	1100rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	75 x 35 x 75cm
Weight:	59kg



AC WORKSHOP THREE PHASE SERIES

AIR COMMAND's Workshop Series are manufactured in Italy with heavy duty electric motors and componentry to service the automotive and light engineering workshop.



WORKSHOP 5.5 INDUSTRIAL THREE PHASE COMPRESSOR

- Three phase.
- A convenient size for small joinery and automotive workshops.
- Able to run a small air tool and spray-gun simultaneously.
- DOL Starter (direct on line) and thermal amp overload.
- Powder coated receiver.

Motor Size:	5.5hp
Best Displacement:	23cfm, 650l/min
Air Delivery: (@90psi)	18.2cfm, 515l/min
Maximum Pressure:	150psi
Cylinders:	2
Pump Speed:	1150rpm
Tank Capacity:	150 Litres
Dimensions: (L x W x H)	142 x 42 x 110cm
Weight:	105kg



WORKSHOP 7.5 INDUSTRIAL THREE PHASE COMPRESSOR

- Three phase.
- For slightly larger workshops where two or more tools are being run simultaneously.
- DOL Starter (direct on line) and thermal amp overload.
- Powder coated receiver.

Motor Size:	7.5hp
Best Displacement:	29.3cfm, 830l/min
Air Delivery: (@90psi)	22.2cfm, 630l/min
Maximum Pressure:	150psi
Cylinders:	2
Pump Speed:	1400rpm
Tank Capacity:	270 Litres
Dimensions: (L x W x H)	170 x 60 x 127cm
Weight:	129kg



WORKSHOP 10.0 INDUSTRIAL THREE PHASE COMPRESSOR

- Three phase.
- Able to run three air tools simultaneously
- DOL Starter (direct on line) and thermal amp overload.
- Powder coated receiver.
- Perfect for Automotive and Autobody Workshops.

Motor Size:	10hp
Best Displacement:	38.1cfm, 1080l/min
Air Delivery: (@90psi)	25.1cfm, 710l/min
Maximum Pressure:	150psi
Cylinders:	2
Pump Speed:	1320rpm
Tank Capacity:	270 Litres
Dimensions: (L x W x H)	170 x 60 x 127cm
Weight:	139kg



INDUSTRIAL THREE PHASE SERIES

Industrial Series - 100% Italian designed and manufactured!

Built to withstand industrial conditions, this series features highly efficient two stage technology for cooler operation and durability. With hundreds of models in service NZ wide, the Air Command Industrial compressors can be relied upon to give decades of trouble-free compressed air.



INDUSTRIAL 5.5

HEAVY DUTY THREE PHASE COMPRESSOR

- Three phase.
- Large enough to run a small workshop and tyre machine or dairy shed.
- Heavy duty, slow revving, two stage pump, capable of 150psi.
- Italian DOL starter (direct on line) and thermal amp overload.
- Powder coated receiver.
- Industrial Italian electric motor.
- Intercooled and Aftercooled for cool dry air

Motor Size:	5.5hp
Best Displacement:	23cfm, 650L/min
Air Delivery: (@90psi)	18.7cfm, 529L/min
Maximum Pressure:	150psi
Cylinders:	2
Pump Speed:	1350rpm
Tank Capacity:	200 Litres
Dimensions: (L x W x H)	152 x 50 x 106cm
Weight:	121kg



INDUSTRIAL 7.5

HEAVY DUTY THREE PHASE COMPRESSOR

- Three phase.
- Widely used in engineering and wood-working workshops.
- Heavy duty, slow revving, two stage pump, capable of 150psi.
- Italian DOL starter (direct on line) and thermal amp overload.
- Powder coated receiver.
- Industrial Italian electric motor.
- Intercooled and Aftercooled for cool dry air

Motor Size:	7.5hp
Best Displacement:	28.2cfm, 798L/min
Air Delivery: (@90psi)	22cfm, 622L/min
Maximum Pressure:	150psi
Cylinders:	2
Pump Speed:	1400rpm
Tank Capacity:	270 Litres
Dimensions: (L x W x H)	160 x 58 x 121cm
Weight:	139kg



INDUSTRIAL 10.0

HEAVY DUTY THREE PHASE COMPRESSOR

- Three phase.
- Most popular model of the Industrial Series - with a big V4 pump.
- Ideal for automotive repair shops and larger factories.
- Heavy duty, slow revving, two stage, four cylinder pump, capable of 150psi
- Italian DOL starter (direct on line) with built-in amp overload.
- Powder coated receiver.
- Will run three tools simultaneously.

Motor Size:	10hp
Best Displacement:	44cfm, 1246L/min
Air Delivery: (@90psi)	34.3cfm, 972L/min
Maximum Pressure:	150psi
Cylinders:	4
Pump Speed:	1320rpm
Tank Capacity:	270 Litres
Dimensions: (L x W x H)	160 x 58 x 121cm
Weight:	176kg



INDUSTRIAL 15.0

HEAVY DUTY THREE PHASE COMPRESSOR

- Three phase.
- The largest of the Industrial Series - 33% more capacity than the IND10.0.
- Heavy duty, slow revving, two stage, four cylinder pump, capable of 150psi
- Italian Star-Delta starter, complete with solenoid valve for controlled, time delayed start-ups.
- Powder coated receiver.
- Will run four tools simultaneously.

Motor Size:	15hp
Best Displacement:	53.2cfm, 1505L/min
Air Delivery: (@90psi)	41.5cfm, 1174L/min
Maximum Pressure:	150psi
Cylinders:	4
Pump Speed:	1320rpm
Tank Capacity:	270 Litres
Dimensions: (L x W x H)	160 x 58 x 121cm
Weight:	201kg



PETROL DRIVEN SERIES

AC Petrol Driven Series - Air Command's answer to on-site air supply

Designed and manufactured with a genuine Honda Engine - ideal for trade and agricultural use.

Tried and trusted by thousands throughout New Zealand for many years.

Air Command - where quality and good value combine.



COMPACT 13 DIRECT DRIVE COMPRESSOR

- Honda GC, 4.0HP - 4 stroke, recoil start.
- Tank design provides roll cage style protection.
- Vibration reducing suction feet.
- Ideally suited for on-site work with it's compact and light weight design.

Motor Size:	4.0hp
Best Displacement:	9.7dm, 275l/min
Air Delivery: (@90psi)	4.23dm, 120l/min
Maximum Pressure:	145psi
Cylinders:	1
Pump Speed:	2800rpm
Tank Capacity:	4.0 Litres
Dimensions: (L x W x H)	62 x 40 x 45cm
Weight:	24kg



AC5.5 BELT DRIVE COMPRESSOR

- Honda GX160 genuine 5.5 - 4 stroke, recoil start.
- Belt driven 2 cylinder pump.
- Idle control reduces pump and motor RPM when tank pressure reaches set cutout.
- Pressure regulator with quick coupler air outlet.
- Direct air outlet on tank end with ball valve.
- Robust and portable with solid rubber wheels and heavy duty roll bar protection.
- Twin tank wheelbarrow design with large pneumatic wheel for stability and ease of transport.
- Air dashboard with filter/regulator and 2 x ARO couplers for ease of use and protection of regulator/watertrap.

Motor Size:	5.5hp
Best Displacement:	14.03dm, 397l/min
Air Delivery: (@90psi)	9.65dm, 273l/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1190rpm
Tank Capacity:	30 Litres
Dimensions: (L x W x H)	104 x 44 x 630cm
Weight:	69kg



AC17P/1 BELT DRIVE COMPRESSOR

- Honda GX160 genuine 5.5 - 4 stroke, recoil start.
- Belt driven 2 cylinder pump.
- Idle control reduces pump and motor RPM when tank pressure reaches set cutout.
- Pressure regulator with quick coupler air outlet.
- Direct air outlet on tank end with ball valve.
- Robust and portable with solid rubber wheels and heavy duty roll bar protection.

Motor Size:	5.5hp
Best Displacement:	14.9dm, 421l/min
Air Delivery: (@90psi)	11.9dm, 337l/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1190rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	95 x 47 x 76cm
Weight:	70kg



12 & 24 VOLT OFF-ROAD SERIES

Air Command's Off-Road Air Compressors are 100% Taiwanese and are available in 12 and 24V. At a light 15kg, they are so portable - you can take them anywhere! fast, tough and reliable the Off-Road Series are the answer to your compressed air needs on the run.



ORC12-5

12 VOLT OFF-ROAD COMPRESSOR

- Heavy duty, high volume, oil-lubricated 12 volt compressor.
- 175psi maximum pressure and huge 4cfm displacement.
- 75% duty cycle.
- 5 litre receiver.
- Only 15kg.
- Fast, tough and reliable - take it anywhere!
- 100% Taiwanese.

Motor Size:	1hp
Best Displacement:	4cfm, 112L/min
Air Delivery: (@90psi)	2.5cfm, 70L/min
Maximum Pressure:	175psi
Cylinders:	1
Pump Speed:	2500rpm
Tank Capacity:	5 Litres
Dimensions: (L x W x H)	37 x 35 x 32cm
Weight:	15kg



ORC24-5

24 VOLT OFF-ROAD COMPRESSOR

- Heavy duty, high volume, oil-lubricated 24 volt compressor.
- 175psi maximum pressure and huge 5.5 CFM displacement.
- 75% duty cycle.
- 5 litre receiver.
- Only 15kg.
- Fast, tough and reliable - take it anywhere!
- 100% Taiwanese.

Motor Size:	1.5hp
Best Displacement:	5.5cfm, 156L/min
Air Delivery: (@90psi)	3.4cfm, 95L/min
Maximum Pressure:	175psi
Cylinders:	1
Pump Speed:	3000rpm
Tank Capacity:	5 Litres
Dimensions: (L x W x H)	37 x 35 x 32cm
Weight:	15kg



FUTURA INDUSTRIAL OIL-LESS SERIES

Air Command's range of Futura Oil-less compressors are 100% Italian designed and manufactured. The low maintenance, long life Boxer technology motor efficiently delivers contamination free air ideal for delivery and food grade applications without the risks of using a conventional compressor with filtration.



FUTURA 12/3 OIL-LESS COMPRESSOR

- Quiet, low revving (only 1400rpm), low amp draw, single phase motor with high duty cycle.
- Compact and powerful.
- Fully enclosed in a strong protective roll frame which also serves as the air receiver.
- For the builders and contractors - ideal for operating nailers/staplers, impact wrenches and smaller air tools when you're 'on-the-go'.

Motor Size:	2.3hp
Best Displacement:	11.6cfm, 330L/min
Air Delivery: (@90psi)	7.1cfm, 200L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1400rpm
Tank Capacity:	3 Litres
Dimensions: (L x W x H)	42 x 49 x 57cm
Weight:	32kg



FUTURA 12/50 OIL-LESS COMPRESSOR

- Quiet, low revving (only 1400rpm), low amp draw, single phase motor with high duty cycle.
- Generous upright receiver with the 'easy-wheel sack barrow' frame with the flexibility of lying down horizontally when transporting.
- Mounted on pneumatic wheels for portability on all terrain.
- The dairy farmers choice with the ample capacity to operate milk sweeps, teat sprayers and drafting gates.
- Ideal for numerous farm tasks, including operating impact wrenches, spray-guns and most air tools.

Motor Size:	2.3hp
Best Displacement:	11.6cfm, 330L/min
Air Delivery: (@90psi)	7.1cfm, 200L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1400rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	56 x 50 x 103cm
Weight:	32kg




FUTURA INDUSTRIAL OIL-LESS SERIES

Air Command's range of Futura Oil-less compressors are 100% Italian designed and manufactured. The low maintenance, long life Boxer technology motor efficiently delivers contamination free air ideal for delivery and food grade applications without the risks of using a conventional compressor with filtration.


C330 OIL-LESS PUMP

The Futura Compressor Series features a world patented oil-less mechanism with horizontally opposed cylinders and a one-piece double acting conrod for increased efficiency, reduced wear and continuous operation. This technological breakthrough provides cooler operating temperatures, less condensation build-up and lower maintenance costs..

1. PISTON
2. PISTON RING
3. MEMORY PACKING
4. VALVE PLATE
5. FILTER



Volts/Hz	dB (A)	Oil	L/min C.F.M. m ³ /h	L/min C.F.M. m ³ /h	bar psi	HP	KW	KW	rpm	Kg
230V/50	80	2	350 11.6 10.8	200 7.1 12	10 145	2.3	1.7	2	1400	22



FUTURA 12/100 OIL-LESS COMPRESSOR

- Quiet, low rewing (only 1400rpm), low amp draw, single phase motor with high duty cycle.
- Big on capacity with 100L receiver.
- Ideal for that large milk purge, to operate a 3/4" impact wrench or run a food processing factory.
- Complete with pneumatic wheels for transportation.



Motor Size:	2.3hp
Best Displacement:	11.6cfm, 330L/min
Air Delivery: (90psi)	7.1cfm, 200L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1400rpm
Tank Capacity:	100 Litres
Dimensions: (L x W x H)	115 x 40 x 70cm
Weight:	68kg



INDUSTRIAL DAIRY SERIES

With the advantage of a heavy duty oil-lubricated pump and separate motor Configuration the Dairy Compressors have a high load capacity but a very low current draw (less than 10 amps). This makes it ideally suited to operating in the dairy shed environment with early morning starts, varying power supply and sometimes demanding work load.



D12C DAIRY COMPRESSOR

- 50L receiver with filter/regulator.
- Heavy duty, oversized, slow revving, full shell bearing pump with a high airflow flywheel and built-in after cooler for cooler, drier air supply and longer life. Complete with twinstage food grade air filter and 10m hose assembly.

Motor Size:	2hp
Best Displacement:	11.1cfm, 315L/min
Air Delivery: (@90psi)	8.9cfm, 252L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1330rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	75 x 35 x 75cm
Weight:	42kg



DUAL CONTROL SERIES

DC12/1 DUAL CONTROL COMPRESSOR

- 50L receiver with filter/regulator.
- Ideal for the farm, for running on a generator or in areas with poor power supply. The special design allows this compressor to be switched to run continuously eliminating start up problems.
- Heavy duty, oversized, slow revving, full shell bearing pump with a high airflow flywheel and built-in after cooler for cooler, drier air supply and longer life.

Motor Size:	2hp
Best Displacement:	11.1cfm, 315L/min
Air Delivery: (@90psi)	8.9cfm, 252L/min
Maximum Pressure:	145psi
Cylinders:	2
Pump Speed:	1330rpm
Tank Capacity:	50 Litres
Dimensions: (L x W x H)	94 x 35 x 75cm
Weight:	55kg



DENTAL / MEDICAL SERIES

Air Command's range of dental compressors are purpose designed and built in Italy for the medical and dental industry and incorporate a unique oil-free compressor pump which eliminates the risk of oil particle and vapour contamination in the air supply.



DEN8 DENTAL COMPRESSOR

- Can operate up to two dental chairs simultaneously.
- Complete with a fan cooled after cooler and high-tech desiccant filters - guaranteed consistent supply of first class, contaminant free air.
- Features automatic start/stop and drain feature - the air pressure and flow can be fully regulated as desired.

Motor Size:	1.5hp
Best Displacement:	8.4cfm, 235L/min
Air Delivery: (@90psi)	6.3 (FAD) approx, 176L/min
Maximum Pressure:	114psi
Cylinders:	2
Pump Speed:	1400rpm
Tank Capacity:	30 Litres
Dimensions: (L x W x H)	68 x 46 x 90cm



DEN8S SILENCED DENTAL COMPRESSOR

- Can operate up to two dental chairs simultaneously.
- Complete with a fan cooled after cooler and high-tech desiccant filters - guaranteed consistent supply of first class, contaminant free air.
- Features automatic start/stop and drain feature - the air pressure and flow can be fully regulated as desired.
- Fully enclosed in a soundproof cabinet, with an ultra-low noise level of 55dBA.

Motor Size:	1.5hp
Best Displacement:	8.4cfm, 235L/min
Air Delivery: (@90psi)	6.3 (FAD) approx, 176L/min
Maximum Pressure:	114psi
Cylinders:	2
Pump Speed:	1400rpm
Tank Capacity:	30 Litres
Dimensions: (L x W x H)	68 x 46 x 90cm



DEN17 DENTAL COMPRESSOR

- Has enough capacity to operate four dental chairs - simultaneously!
- Features two V-twin pumps, powered by a 2.5hp motor.
- Complete with a fan-cooled radiator and full desiccant filtration, producing dry, clean and medical grade compressed air.
- Completely rubber mounted for smooth and quiet operation (75dBA).

Motor Size:	2.5hp
Best Displacement:	16.8cfm, 476L/min
Air Delivery: (@90psi)	12.7 (FAD) approx, 356L/min
Maximum Pressure:	114psi
Cylinders:	2
Pump Speed:	1400rpm
Tank Capacity:	90 Litres
Dimensions: (L x W x H)	88 x 60 x 110cm



INFLATORS & AIR GUNS

AIR TYRE INFLATORS

15° OFFSET DUAL CHUCK TYRE INFLATOR

#ACR9085

- Extended dual chuck tyre inflator
- 15° offset style
- 1/4" BSP female inlet thread



STRAIGHT DUAL CHUCK TYRE INFLATOR

#ACR9086

- Extended dual chuck tyre inflator
- Straight style
- 1/4" BSP Female inlet thread



DELUXE 3-IN-1 DIAL GAUGE TYRE INFLATOR

#ACR3717

- 1/4" BSP female inlet thread



AIR BLOW GUN

LONG BLOW GUN 24"

#AC5156

- 1/4" BSP female inlet thread



VACUUM & BLOWER

AIR WONDER GUN

#ACR3717

- Vacuums and blows
- Great for cleaning out tractor cabs etc.
- Comes with bag and fittings.



AIR TREATMENT & LUBRICATION



SANDBLASTING GUN

#ACR6500

- Avg. air cons: 10cfm, 275L/min
- 1.1m hose



OILERS

TOOL MOUNTED OILER

#ACR2680

- Provides automatic lubrication to extend airtool life.
- Attaches to air tool 1/4" BSP thread.



REGULATORS

TOOL MOUNTED REGULATOR

#ACR3276

- Attaches directly to air tool to adjust or control air flow.
- 1/4" BWP swivel thread.



COMPRESSOR OIL

#ACR3004 - 1 litre

- Premium Air Command Hydraulic 68 grade air compressor oil.
- Suits all air command piston compressors.



AIR TOOL OIL

#ACR3001 - 100ml



FILTERS & WATERTRAPS



1/4" FILTER/WATERTRAP
#ACF2000

3/8" FILTER/WATERTRAP
#ACF3000



1/2" FILTER/WATERTRAP
#ACF4000

3/4" FILTER/WATERTRAP
#ACF5000

REGULATORS & LUBRICATION



1/4" REGULATOR
#ACR2000

3/8" REGULATOR
#ACR3000



1/4" LUBRICATOR
#ACL2000

3/8" LUBRICATOR
#ACL3000

COMBINED UNITS



1/4" FILTER/REGULATOR COMBO
#ACFR2000



3/8" FILTER/REGULATOR COMBO
#ACFR3000

1/2" FILTER/REGULATOR COMBO
#ACFR4000

AIR HOSE & FITTINGS



AIR FILTRATION/SERVICE UNITS

DESICCANT DRYER

#AC2085

- Provides extremely dry air for applications requiring complete removal of water (i.e. painting).
- 3/8" BSP ports
- Up to 25cfm flow
- Replacement Desiccant Beads #AC2086
- Replacement Desiccant Filter #AC2087



AIR ACCESSORY KIT

16 PIECE AIR ACCESSORY KIT

#AC16PCE

- Includes fittings, air hose, blow gun, tyre inflator etc.



VIPERFLEX HOSE

#AC10HS : Air Command SuperFlex Air Hose 3/8" x 10m

#AC20HS : Air Command SuperFlex Air Hose 3/8" x 20m

- 1/4" Aro type fittings
- Non memory
- Anti-kink



AIR HOSE

#ACR3405 : 1/2" X 30m PVC Air Hose Set

#ACR3402 : 3/8" x 30m PVC Air Hose Set

- 1/4" Aro type fittings



FITTINGS

COMPRESSOR FITTINGS

#ACR2608

1/4" ARO Male Plug



#ACR2609

1/4" ARO Female Plug



#ACR210

- 1/4" ARO Female coupler



#ACR210M

- 1/4" ARO Male Coupler



BARBED HOSE FITTINGS

BARBED FITTINGS

- #HF11: 1/4" hose ID
- #HF12: 3/8" hose ID
- #HF13: 1/2" hose ID



- Hose barbs repair damaged hose by splicing sections together.
- Secure fittings with either hose clamps or crimped-on ferrules.
- Corrosion resistant brass construction.

BARBED/THREADED FITTINGS

- #HF02: 1/4" hose ID - 1/4" male thread
- #HF03: 3/8" hose ID - 1/4" connector
- #HF04: 3/8" hose ID - 1/4" male thread
- #HF05: 3/8" hose ID - 3/8" connector
- #HFOG: 3/8" hose ID - 3/8" male thread
- #HF07: 1/2" hose ID - 1/4" male thread
- #HFOB: 1/2" hose ID - 3/8" male thread
- #HF09: 1/2" hose ID - 1/2" male thread



- Use barbed hose fittings to make hose to length from bulk or existing hose.
- Threaded end connects to tools, fittings, couplers or plugs.
- Corrosion resistant brass construction.

CLAMPS

HOSE CLAMPS

#NT-HC

- Gear type clamps for quick hose repair with simple tools.
- Stainless band and plated steel screw.



1/4" Y PIECE

WITH QUICK CONNECTION FITTINGS

#HF33: 1/4" Series

- Set includes:
- 2xHF17 Couplers
- 1xHF19 Connector
- 1xBF75 Y Piece



ITALIAN COMPRESSOR PUMPS



ITALIAN COMPRESSOR PUMPS

AIR COMMAND'S genuine Italian compressor pumps combine hard wearing cast iron parts with the superior cooling qualities of aluminium giving you the best of both worlds. The cylinder barrels, which take the wear, are solid cast iron, with a precision balanced forged steel crankshaft running on heavy duty bearings. The valves are stainless steel and extremely long lasting. The head is made from deep-finned aluminium for rapid heat dissipation, further facilitated by an after cooler so that the air is delivered at the lowest possible temperature to minimise condensation build-up.

AIR COMMAND pumps are complete with a finned drive pulley, which is designed to blow air over the pump and through the guard/shroud to further reduce the compressor's working temperature.

SOLID CAST IRON CYLINDERS

- Quieter more durable

AIR COMMAND compressor pumps are built around a solid cast iron cylinder block, while other aluminium pumps often only have a cast iron sleeve inside aluminium housing. Solid cast iron is far more durable, lasts a lot longer, absorbs noise and runs a lot quieter. Altogether better value.

BEARING SHELLS

- Simple low cost maintenance

AIR COMMAND compressor pumps have replaceable bearing shells on their conrods, for ease of service and inexpensive maintenance. Ask any mechanic about the advantage of bearing shells versus one piece integral conrods. It pays to buy quality the first time.

DIMENSION CODES



TWO STAGE FOUR CYLINDER

#AL10.0

- 39cfm displacement at 1150rpm

#AL15.0

- 47cfm displacement at 1150rpm



SINGLE STAGE TWIN CYLINDER

#AL2.0

- 10cfm displacement at 1400rpm

#AL2.5

- 11cfm displacement at 1400rpm

#AL4.0

- 18cfm displacement at 1250rpm



TWO STAGE TWIN CYLINDER

#AL5.5

- 23cfm displacement at 1350rpm

#AL7.5

- 28cfm displacement at 1400rpm



CODE	DISPLACEMENT CFM	COMPARATIVE MOTOR HP:	CYLINDERS:	STAGES:	MAX PRESSURE:	SUGG RPM
AL2.0	9.0	2.0	2	1	125	1400
AL2.5	11.0	2.5	2	1	125	1400
AL4.0	18.0	4.0	2	1	125	1400
AL5.5	23.0	5.5	2	2	150	1400
AL7.5	28.0	7.5	2	2	150	1400
AL10.0	40.0	10.0	4	2	150	1400
AL15.0	48.0	15.0	4	2	150	1400

A	B	C	D	E	F	G
120	100	140	270	280	280	-
145	95	195	280	280	320	-
155	110	210	290	370	365	-
190	115	240	355	430	430	-
200	120	260	370	430	450	-
200	165	250	415	430	450	650
200	165	250	415	430	450	650

COMPRESSOR MOTORS & RECEIVERS

COMPRESSOR MOTORS

These heavy-duty, Industrial rated, 2 pole motors are made in Italy especially for compressor manufacturers. Suitable for many other applications, including pumps, workshop machinery etc.

SINGLE PHASE: 3.0HP - #M3.0


THREE PHASE: 5.5HP - #M5.5

7.5HP - #M7.5

10HP - #M10

15HP - #M15

- Class F, IP54 rating
- Fully sealed, dust and splash proof
- Complete with push-button overload reset



NOTE: Model M3.0 runs anti-clockwise (facing the shaft) and is not reversible.

CODE	HP:	KW:	RPM:	PHASE	SHAFT SIZE (MM)	MOUNT:
M2.0	2.0	1.5	2850	1	24	Foot
M3.0	3.0	2.2	2850	1	24	Foot
M4.0	4.0	3.0	2850	3	28	Foot
M5.5	5.5	4.0	2850	3	28	Foot
M7.5	7.5	5.5	2850	3	28	Foot
M10.0	10.0	7.5	2850	3	38	Foot
M15.0	15.0	11	2850	3	38	Foot

A	B	C	D	E	F
275	245	125	142	90	175
280	245	125	142	90	175
300	240	140	160	100	200
335	280	140	190	115	240
385	325	140	215	130	270
425	325	180	215	130	260

COMPRESSOR RECEIVERS

Add some extra storage to your existing compressed air line, with these quality air receivers. Made in Italy and certified to CE standard. Complete with feet and base plate mounts. Pre-powdercoated in AIR COMMAND yellow.

HORIZONTAL

50LITRE - #LT50

100LITRE - #LT100

200LITRE - #LT200

270LITRE - #LT270



COMPRESSOR BELT GUARDS



PLASTIC GUARDS

#G5 Suits CM13

- 2pc set

#G6 Suits TM10

- 2pc set

#G7

- 3pc set
- To Suit AC12i, TM12
- 655mm (L) x 395mm (H)
- 360mm pulley centres
- 66mm pump mounts

#G8

- 2pc set
- Belt guard set to suit WS16, AC16i, AC1600i
- 710mm (L) x 455mm (H)
- 380mm pulley centres
- 83mm pump mounts

#G9

- 3pc set
- Belt guard set to suit IND7.5, IND5.5
- 830mm (L) x 540mm (H)
- 440mm pulley centres
- 92mm pump mounts

#G10

- Belt guard set to suit IND10.0, IND15.0




METAL CAGE/GUARDS

#F-417001000

- Belt guard kit to suit AC13, AC15, DC12/1

#F-9700001349

- Belt guard set to suit WS5.5, WS7.5, WS10.0





WWW.AIRCOMMAND.CO.NZ