OE&AFTERMARKET

alleuroparts

Winter is coming...

Shine a light on these deals

TOOTH BEANIE LIGHT

Integrated rechargeable light & Bluetooth speakers (works with all smart phones). Great for camping, tradies, fishing etc. The perfect accessory for winter!

ET2280

SOCKET CARRY TRAY 1/4" & 3/8" & 1/2"

Durable steel tray to organise all your sockets. 80x LOCKING CLIPS to hold sockets securely. Compact 45cm x 15cm size And with handle to make it easy to carry around!



ETPPH1

Own the ultimate!

Easy, Smart &


- Workson 12 - 48V DC systems
- Powers large loads up to 100A inrush -25A continuous
- Adjustable circuit breaker (2A - 65A)
- Hot shot mode (load test power & grounds in only 7ms)
- Voltage drop (see battery voltage drop on screen)
- Smart tip technology automatically selects Ohmeter or voltmeter function (and selects correct range)



With a Californian heritage, CanDo delivers extensive OE level coverage of Asian / Australian / European / US trucks, agriculture and construction vehicles (including CAT / John Deere)

The Can Do Difference COMMITTED TO EXCEPTIONAL

- Free initial remote training consultation post purchase
- Australian based technical support only a phone call away
- We regularly test local Australian vehicles for any updates required
- Regular updates & bug fixes (rather than waiting for bi yearly fixes)
- 2 years free updates for all vehicle categories (\$2,800 bonus value)
- No lock out once updates expire



POWERFUL 1.8GHZ QUADCORE PROCESSOR

INCLUDES: MULTIPLE CONNECTORS, DOCKING STATION



POWERPROBE 4

MASTER KIT

The PowerProbe 4 builds on the PowerProbe 3 functionality, adding additional diagnostic modes including Fuel Injector Tester (petrol), PCM / ECM driver tester and ECT signal tracer.

Get all this plus a lead kit and the ECT3000 circuit tracer & short finder in this master kit.



JET WASHER COMBO PACK

- Take advantage of the interchangeable nozzles with this value pack
- Includes jet washer with both washing and radiator flushing nozzles

KEY FEATURES

- BOTH AIR AND WATER FLOW ARE ADJUSTABLE.
- · NOZZLES ARE INTERCHANGEABLE AND REPLACEABLE.
- COMBINES COMPRESSED AIR AND WATER.
- SAFER THAN HIGH PRESSURE BLASTING.
- CONNECTS TO STANDARD WATER CONNECTORS.





OE LEVEL TRUCK SCAN TOOL













30W RECHARGEABLE SOLDERING IRON KIT

New generation cordless / lithium battery soldering technology. No more butane refills.

Rapid heat technology - 420° C in 35 seconds, 45 minutes continuous runtime.

Includes fine point / chisel tip / hot knife

Packaged in plastic case with EVA tray



















SILVERTRONIC SILICONE LEADS



AUTOMOTIVE TEST KIT

The test leads of choice for professionals. Compatible with standard multimeters. Premium double insulated silicone

- Red & black test leads straight / right angled
- Crocodile clips / cable piercers / back probes



ET9394

BACK **PROBES**

NON INTRUSIVE BACK PROBE KIT

- Red / black test leads-right angled plugs Back probes -



BACK PROBE CABLES

- 1000V CAT III 20A Colour coded 2m
- cables
- Extra thin 0.7mm OD







W 4 1	TT		 	
IVA I		1777	 	_

	ET2301A	ET2301B	ET2301D	ET2504	ET2604
TYPE	COMPACT DMM	COMPACT DMM	COMPACT DMM	BLUETOOTH	AUTOMOTIVE
AUTO / MANUAL RANGING	MAN	AUTO	AUTO/MAN	AUTO/MAN	AUTO
COUNTS	1999	9999	9999	6000	4000
SAFETY RATING	CATIII 600V	CATIN 600V CAT N 1000V	CATIII 600V CAT II 1000V	CAT III 1000V	CAT IV 600V CAT III 1000V
DC VOLTAGE	200MV 600V	1000V	1000V	1000V	10000
AC VOLTAGE	200V - 600V	750V	750V	750V	700V
AC CURRENT	N/A	10A	10A	20A	20A
DC CURRENT	2MA - 10A	10A	104	20A	ZOA
BACKLIGHT	×	×	*	*	×
RESISTANCE	200Ω-2ΜΩ	60MΩ	99.99ΜΩ	60MΩ	40MΩ
CAPACITANCE		9.999MF	9.999MF	4000µF	40MF
FREQUENCY		9.999MHZ	5.000MHZ	9.999MHZ	9.99MHZ
DUTY CYCLE		*	×	0.01-99.9%	0.1-99.9%
DIODETEST	×	×	×	×	*
CONTINUITY BUZZER	×	×	×		×
TEMPERATURE	-20°C - 1000°C	-20°C — 1000°C	-20°C - 1000°C	-50°C - 400°C	-30°C —1000°
SAMPLERATE				3 PER/SEC	
SPECIAL FUNCTIONS					
AUTOMOTIVE					×
DATA HOLD	×	×	×	×	*
BLUETOOTH APP				×	
NON CONTACT VOLTAGE (AC)			×		
HEF (TRANSISTOR CURRENT GAIN)	×				
BANANA JACKS	×	*	×	×	*
BMC CONNECTOR					
LOW BATTERY ALERT		*	×	×	×
AUTO POWER OFF		×	*	×	*
RELATIVE MEASUREMENT			*	×	*
TRUERMS READING		*	*	*	
VARIABLE RESISTOR FUNCTION					
REMOTE RECORDING				168HRS	

MANUAL RANGING MULTIMETER

Fantastic value! A well featured entry level multimeter. Includes temperature probe & battery.

Current (DC) / Voltage / Resistance





ET2301A

TEMPERATURE PROBE INCLUDED

Professional auto ranging multimeterwith temperature probe.



6000 COUNTS



BLUETOOTH

Next gen technology! Use App to REMOTELY VIEW multimeter, log data, graph live data etc. Ideal for hazardous environments, remote measurement (eg trucks) etc.

■ 3-in-1 multimeter, datalogger & temperature meter Smartphone app can

monitor multiple multimeters

Multimeter supports offline data logging Data hold

& relative measurement 6.000 count

display App supports



AUTO & MANUAL RANGING

Next generation multimeter. Push button function selection.

Non contact voltage. Backlight. Temperature probe















ET2301D

9000 COUNTS

AUTOMOTIVE MULTIMETER

A specialist multimeter for the automotive professional. Auto / manual ranging DMM with inductive pick up & K type temperature probe. RPM measurement, millisecond pulse



ET2604 1000V CAT III

- IP67 dustproof & waterproof
- Fused current inputs and overload protection
- High contrast 4000 counts display with backlight





Versatile kit with hex dies for crimping battery cables, and swaging die for balustrading wire. 8T hydraulic crimping force.

 Die Sizes: 6, 10, 16, 25, 35, 50 & 70mm² + Swaging Die Overall length: 320mm



FLAMELESS **HEAT GUN** Auto ignition

HIGH OUTPUT

FLAMELESS

HEAT GUN

Automatic

450 - 550°C

Multi angle safety stand.

ignition.

range.

iroda.

iroda.

HEAT SHRINK 180 PCE COLOUR CODED

RADIO REMOVAL

FOLDING KEY SET

design. Suits many

vehicles especially

with Blaupunkt.

Clarion, Sony

Space saving

 2 to 9mm diameter Shrinks by up to 50% when heated to 125°

106 PCE

WATERPROOF

ET8048

36 PCE

PRO-150K

ICT-630

 Adhesive lined inner walls seal against moisture ingress 3:1 shrink ratio

K1: AWG 14/12 (DT/P) K2: AWG 10/12 (DT/P)

DEUTSCH TOOLS



K5: AWG 20/18 (DT/M) K6: AWG 16/14/12 (DT/P)

ET1442 **4 WAY CRIMPER** D-Sub Deutsch 4 way indent crimper 0.5-4mm2/ AWG 12-20



For vehicles with over-running alternator decoupler pulleys and oneway clutches.



MASTER KIT



ET7067

2 PCE



TERMINAL DISCONNECT TOOLS

- Fork for ALDL connectors
- Flat blade to open
- Rectangular for pack-con terminals
- Prongs depress barbs on standard terminals



RECHARGEABLE SOLDERING IRON KITS

90 minutes run time. Heats to 420°C in 35 seconds. Max temperature 540°C.



10 SECOND FAST START



Our most powerful unit vet now with 50W soldering power - for the most heavy duty tasks.

45 minutes continuous runtime

5mm chisel tip / cone tip / heat shrink tip

iroda.



ETPRO-50W

SOLDERPRO 50K Well priced for the

trade user. Manual ignition

30 minutes run time



TG-600

iroda.

user.

BUTANE SOLDERING IRON KITS



Top of the range butane iron for the professional iroda.

30 minutes run time

SOLDERPRO 150K

Removable / refillable fuel cells

BUTANE TORCHES BUTANE GLUE GUN

- Runs continuously for up to 100 minutes
- Uses standard 11mm & 12mm glue sticks
- Automatic temperature control
- Temerpature control range: 160-240°C



HIGH OUTPUT **GAS TORCH**





Auto ignition

Price	Product Name	Key	Model Nº
	PROTORCHLITE	A	PT-110
	PRO TORCH	В	PT-200
	3-IN-1 TORCH	c	PT-210T
	PRO TORCH PLUS+	D	PT-500

iroda.

stand for hands free use.



WORKSHOP TRUCK SCAN TOOL



www.candopro.com.au

TRUCK SCAN TOOLS

With a Los Angeles, California heritage, CanDo focuses on developing industry leading truck scan tools and code readers.

Backed by a world class engineering team, and local Australian technical support, CanDo offers leading coverage of Australian, Asian, European and US trucks, agricultural and construction vehicles.











HD PROTAB

OE level functionality for Heavy Duty Truck, Agricultural &

Industrial applications.

- Extensive Class 4 8, Medium & Light Duty truck coverage for all major Australia / Asian / European / US manufacturers, including Volvo & Iveco
- J1939 / J1708 and OBDII Protocols

Agriculture / Industrial coverage includes Caterpillar, John Deere, Komatsu (Case New Holland, Deutz, Perkins coming shortly)

- Full Mercedes Sprinter coverage
- Perform DPF Regeneration; NOX Resets, Injector Programming, Change and Set Parameters, along with SCR/DEF coverage and full bi-directional controls covering over 60 manufacturers



COMMITTED TO EXCEPTIONAL AFTER MARKET SUPPORT

- Free initial remote training consultation post purchase
- Australian based technical support only a phone call away
- We regularly test local Australian vehicles for any updates required
- Regular updates & bug fixes (rather than waiting for bi vearly fixes)
- 2 years free updates for all vehicle categories (a \$2.800 value)
- No lock out once updates





✓ IP65 RATING / WATER RESISTANT REMOTE DIAGNOSTICS VIA TEAMVIEWER



INCLUDES: MULTIPLE CONNECTORS, DOCKING STATION



Z EASY UPDATES VIA WIFI



AN

ALL EURO PARTS

BEST SELLER!

POWERFUL 1.8 GHZ QUADCORE PROCESSOR

ET6330

ALL EURO PARTS

TOOL HIRE RANGE

Did you know that All Euro Parts has over 500 tools that are available for hire for trade customers?

Specialized tools can save you a lot of workshop time on complicated jobs, usually by allowing you to do removal and installation of worn parts on the car.

This saves hours of dismantling and reassembling time. We will organise the parts and the tools you need. And if you get the parts for the repair from us you will also get a discount on your tool hire.

Call us today to find out more about our tool hire services.

> 0800 255 387 (09) 425 5023

BRAKE REWIND TOOL

BRAKE REWIND TOOL

. A unique spring loaded tool - the powerful internal spring ensures the inner piston mechanism is wound back.

. A two pin adjustable adaptor that fits over 1500 applications

. A 3 pin adjustable adaptor for use with electronic park brake (EPB) tools

. Fits pistons between 20-35mms

A 3/8"D fitting with locking feature for brake calipers (left or right threads)

A 3/8"D to two pin adaptor so you can use the tool with other two pin adaptors in your toolbox.

"An indispensible tool for the workshop with hundreds of applications. This will become one of your go to tools."



Adapter for your current sets



2 prong adjustable fitting



COMPATIBLE

3 prong adjustable fitting



oscilloscopes / PowerProbe

CARSCOPE AUTOMOTIVE TESTING SCOPE

A unique two channel automotive testing scope in a standalone tablet. Designed SPECIFICALLY for automotive use, it has a range of guided tests (with extensive context sensitive help menus). Purpose built for component testing. Much easier to use / more auto functionality than standard oscilloscopes.

ADVANCED KIT

- Tests most engine sensors
- Tests actuators / solenoids
- Advanced ignition measurement
- Test batteries, alternators, starters
- Test starter / charging circuits Observe fuel injector / pump signals
- View CAN bus signals
- Measure high / low currents
- 2 channel 2 x 20 MS/s ADCs
- 7" TFT Colour display

POWERPROBE

Connects to any

- Rechargeable battery PC connectivity via USB port
- Save waveforms as BMPs



5V TIP ADAPTOR PowerProbe, Limits ouput voltage to 5V. Essential for safely testing sensors and computer circuits on vehicles. Now you can supply a 5V reference signal to test computer modules, wiring and the components connected to them.



POWERPROBE 4 All the features of the PowerProbe III

Ohmeter /

Frequency

Pulse width (+tive & -tive)



124142185

- Petrol fuel injection tester
- PCM / ECM driver tester
- Signal tracer (use with ECT3000)



CARSCOPE I-TESTER PORTABLE ENGINE TESTER

Precise engine analysis. without the complexity of hooking up an oscilloscope. Easy to use!

Tests relative compression between cylinders. The fastest / simplest way to find a low compression cylinder.

- Standalone tool Non invasive. Test completes within seconds.
- You do not have to check each individual cylinder; all cylinders can be tested in one go.
- Works on 4 stroke / petrol / diesel engines (with most ignition systems). 12V systems
- Ideal for use when buying cars! Periodic engine checks, and



when spark plugs are

Can be timed to any cyl (accessories needed)

No mechanical work needed. Simply disable fuel system to prevent engine from starting.

- 3 measurement channels
- 2.4" TFT LCD
- Supplied with universal probe
- Uses 12V vehicle power supply



AUTOSIM SENSOR SIMULATOR

By simulating output signals of most automotive sensors. AutoSim picks up service issues where a scan tool's diagnosis ends. Sensors tell the on-board computer when something is wrong. AutoSim helps determine if the cause is a faulty sensor, wiring or the ECU.

To check wiring - the device simulates the sensor voltages. Then simply check the live data readings on the scan tool to confirm the wiring. You can simulate most sensors from ABS to O2 sensors. Eliminates need to replace non-defective sensors.

a couple of un-needed sensor replacements, the device has paid for itself!

Voltage simulation range: 0.1V - 12V

Frequency simulation range

0.1Hz - 10KHz

Trigger pulse output: up to 0.15 amperes maximum



By the time you have avoided

AIRBOY COOLING SYSTEM FLUSHER

AIRBOY COOLING SYSTEM FLUSHER

. Quality Danish design, made in Denmark.

Combines water with compressed air to increase the efficiency of the flush.

. Great to use when installing new maintenance.



TRUCK CODE READERS

Class leading with extensive heavy / medium / light duty truck coverage, plus OBDII.

PLUS CAT Powe Equipment, CAT Construction CATIndustrial

BIDIRECTIONAL - the only truck code reader with DPF Reset / Regeneration.

Don't get stuck in limp

- Access Engine, Transmission & Brakes
- Read/Clear Codes
- Special tests include: I/M Readiness, MIL Status, O₂ Sensor Test, On-Board Monitor Test, EVAP System
- DPF Reset & Regeneration for Fuso, Cummins and Detroit (Volvo / International / Isuzu coming shortly)
- View / Graph Live Data
- Coverage for J1939/J1708 and OBDII Protocols
- 6 | 9 | 16 pin and CAT connectors supplied
- Supports 500K baud rate
- Lifetime free updates



HD MOBILE

Transform any Smart Phone into a powerful class 4-8 code

scanner

Same coverage / functionality as HD Code II

Easy updates

via internet Easy to use interface

Bluetooth VCI dongle suits both Android



diagnostics

GAS ANALYSERS

Gas analysers accurately & guickly confirm or deny faults in the oxygen sensor and catalytic systems.

By hooking up each car that comes in, you can quickly identify whether engine issues exist - confirm via scan tool - and afterwards confirm that the engine service has been effective.



- 4 GAS ET9810
- Kane gas analysers Made in the UK - are market leaders. Compact, they can be taken to the vehicle, and used on drive tests to log engine data.
- The 4 gas version is ideal for petrol engines. The 5 gas version adds NOx, to test diesel emissions (essential, especially for equipment used in underground mines / enclosed areas).
- Optional printer (ET9890) for test reports available.
- Fully portable 4 (CO / CO2 / HC / O2 & Lambda / AFR) & 5 gas (NOx) analysers.

- Rechargeable battery
- Fast warm up
- Print to PC via wireless. plus Android App



TURBO LEAK DETECTORS

An effective diagnostic tool for determining whether faults are due to the turbo system, or simple air leaks. Charge turbo system with a low pressure of regulated workshop air.





SMOKEPRO READY SMOKE LEAK DETECTOR

Made in USA quality, yet at an affordable low price. Compact size, and under 4kg. No expensive dyes needed. Injects smoke into the engine - EASILY find vacuum leaks. Avoid incorrect diagnosis and parts guessing.



DC power

Variable pressure / flow control



IGNITION ANALYSER

Quick, reliable diagnosis for all spark ignition systems, including Coil On Plug (COP) and general distributor type

Induction technology requires no hook ups / ground wires / special adaptors.

- Diagnose misfires, starting issues, damaged spark plugs / wires. Measure cylinder speed, ignition voltage, ignition time etc.
- Spark voltage (0-50,000V)
- Spark burn time (0-10ms)
- 200 to 19,999 RPM



240V HEAT INDUCTOR (800W)

Uses induction technology to accurately



CAN BREAKOUT BOX

Attach inline between the scan tool and the vehicle's OBDII connector.

Supplied with 3 coils

& 1m rope coil

Many "no communications" errors result from serial bus faults. The breakout box in conjunction with an oscilloscope allows for fast testing.

Plus monitor battery voltage in realtime.



OBDII >> USB CABLES

Diagnostic cables for use with laptops. The two variants correspond to different wiring setups. K + Dcan for BMW.



CAN BUS

ET8000-16 K + DCAN



ULTRASONIC THICKNESS TESTER

Small I tough I accurate. Ideal for non destructive testing jobs to measure material thickness

- 5mHz operating frequency
- 1.2 225mm range (steel)
- 0.1mm resolution
- +/- (1%H+0.1)mm




THERMAL CAMERAS (RECHARGEABLE)

Thermal cameras provide realtime imaging / surface temperature measurement. The digital camera pinpoints the test area, over which a high quality thermal image is overlaid. Ideal for use in automotive and electrical to diagnose unwanted current draw, seat heaters, demisters, wheel bearings etc

PISTOL GRIP

Provides real time thermal imaging/ surface temperature measurement. This unit features a digital



- Save / download images via microSD card. Print / email from your PC. Resolution: 220 X 160 pixels
- 3.7 mAh lithium battery
- 3.2" colour screen 2 year warranty
- -20°C to 300°C temperature



POCKET SIZED

A full featured compact unit small enough to fit in any work pocket. Built in visible light camera, over which the thermal image is overlaid. Upload images to

share with customers 3.5" colour display

- 220 x 160 resolution
- -20°C to 300° C temperature
- 3.7 mAh lithium battery
- USB Micro B data













ROADWORTHY TESTING



SOUND METER

Ideal for measuring exhaust noise levels during roadworthy testing.

- Range: 35 130dB
- Resolution: 0.1dB
- Accuracy: +/- 1.5dB @ 1kHz

ET2042

ET2031B



WINDOW TINT METER

Measures Visual Light Transmission (VLT) through windows treated with aftermarket window tint film.







ET3428

6V-48V DC

ET3426A

ROADWORTHY TESTING COMPLIANT

FUSE TESTER

Fast / accurate current measurement at the fuse box.

- Hold / Peak functions for detecting current surges
- Range: 0 80A, 0 48V DC





MULTIMETER LEAD SET

Essential test leads. Potentiometer | piercing probes | crocodile | flat terminals | signal tester and more




ET2314





PROFESSIONAL TIMING LIGHT

- Tachometer: 249 to 9,990 RPM (ffl 1% Accuracy)
- Dwell: 0° to 180° / 2 12 cylinders (ffl1% Accuracy)
- Voltage: 10 16V DC (ffl 1% Accuracy)
- Advance Degrees (2 / 4 cycle DIS & Conventional): 0° to 90° (ffl 0.5°



UNIVERSAL LINE KIT

Comprehensive kit for quickly & securely connecting into wiring

- 2 way LED testers Black / red multimeter connector leads
- Male / female round terminal to banana plug Male / female flat blade
- terminal to banana plug Variable resistors with
- banana terminals Needle / piercing probes

Heavy duty alligator clips



DIGITAL

fuse sockets. Tests



LED CIRCUIT TESTERS

6V -48V DC Real time voltage

display, in addition to indicating power (RED) and ground (GREEN). Small testing current (<10mA).

- Spring cable extends to 3m
- Not for use with 240V AC Not for use with airbags

4MM CONNECTOR KIT

A handy kit containing the ET3428, but modified to have a 4mm connector for use with standard multimeter probes



OVER 86 LEADS

TACHOMETER CONTACT / NON-CONTACT

- Laser pointer
- Range: 2-99,999 rpm
- Accuracy: +/- 0.05% +1 digits
- Min / Max & calibration function
- Auto Power Off
- 5 digit LCD display



ET2320 **CURRENT TESTERS**

Easy connection into



ACTUATOR TESTER

Time saving tool for testing electronic components actuated by a magnetic field. Positive / negative sensor. Batteries included.

Test devices like ignition coil, AC generator, EGR valve controller, relay & hall effect







BRAKE BLEEDERS

10MM BLEEDER WRENCH W/ ONE **WAY VALVE**

Use with ETWH505HA to easily collect brake fluid. One way valve prevents air entering system.



MASTER CYLINDER ADAPTOR KIT





PRESSURE TYPE

Pushes fluids through brake





SUCTION TYPE

Single person operation for quickly / cleanly bleeding brakes. Uses shop air for fast brake



124143100



WHEEL HANGER SET

Safely hang tires when changing, especially European with female threads. Speeds up changes / reduces injury risk. For disc brake service stops brake disc wobbling.

- M12 x P1.5 (female)
- M12 x P1.5
- M14 x P1 25 ■ M14 x P1.5
- M16 x P1.5



INCLINOMETER

Digital angle gauge with a built in magnet.

Designed for measuring angles on metal surfaces. Ideal for camber / casting

suspension setup.

AAA battery included.



BRAKE LINING THICKNESS GAUGE





DEPTH GAUGE

- 0-25mm
- Resolution 0.01mm/ 0.0005







PartNo	Head Weight	Handle Length	Price
TBID5-20	5Lb/2.2Kg	20"/50 cm	
TRID10-32	10Lb/4.5Kg	32"/80 cm	

ET9076

9 PCE

BRAKE CALIPER SOCKETS

GROZ

- Hex bits: 7mm / 8mm /



BRAKE CALIPERS

BRAKE DRUM ■ 0-500mm Resolution:

0.01mm

BRAKE DRUM

0-300mm Resolution

ET3558



BRAKE DISC 0-45MM

Long body design for on vehicle measurement. Spring action plunger.



BRAKE DISC 200-400MM

ET6330

Measure brake disc diameter without removing wheels. Quick identification of the brake system



ON VEHICLE BRAKE PAD THICKNESS

Check brake pad condition without removing any



SPRING LOADED **BRAKE CALIPER REWIND TOOL**

Powerful internal spring applies firm pressure to piston, to ensure piston mechanism is wound back. With 3 universal adaptors















RATCHETING BRAKE **CALIPER PRESS**

Upgraded model with extra 7' magnetic plates-to work on most single / multi piston calipers. Ratcheting handle with reversing switch.

SIZE RANGE: 1-9/16" - 2-5/8"



ET6989



BRAKE FLUID TESTER

Test all essential profiles for modern brake fluids.

Battery included

DOT 4

DOT 3 DOT 5.1

PENTAGON SOCKETS

Suits most Bendix / Girling brakes + Nissan fuel pump / Perkins injectors (10mm).

- Female: 10 | 12.5 | 14 | 19mm
- Bit socket: 10mm



HEAVY DUTY PRESS MERCEDES / BREMBO

Retracts piston with caliper still in place. Robust design. Suits 4 piston setup.



WHEEL PLIERS



HUB NUT SOCKETS

12 POINT DEEP IMPACT SOCKETS 1/2" SO DRV

29/30/32/34/35/36/









MAGNETIC IMPACT

3/8" SQ DRV | 6 PT

Impact sockets with strong magnets. Compact style to reach into tight areas.

■ Sizes: 10mm - 19mm



1/4" 50 DRV | 6 PT | **DEEP SPRING** LOADED

Sizes: 15 - 15mm



ET1862

10 PCE

6 POINT DEEP IMPACT SOCKETS





METRIC

10mm - 19mm, 21mm, 22mm, 24mm, 27mm, 30mm, 32mm

IMPERIAL

7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16",

1-1/16", 1-1/8", 1-1/4"

1/2'

16 PCE

ET1762

26 PCE

ET1764

ET1766 1/2" 12 PCE

SOCKET ADAPTORS







REINFORCED THIN WALL SOCKETS





IMPACT UJ & ADAPTOR KIT ADAPTORS: 1/4" F x 3/8" M | 3/8" F x 1/4" M | 3/8" F x 1/2" M | 1/2" F x 3/8" M | 1/2" F x 3/4" M | 3/4" F x 1/2" M | 3/4" F x 1" M | 1" F x 3/4" M

UNI JOINTS: 1/4" | 3/8" | 1/2"



REDUCING ADAPTORS

Female > Male adaptors fit into each

ET6346

reduce drive sizes.

- 3/8" F >> 1/4" M
- 3/4"F>>1/2"M
- 1/2"F>> 3/8" M
- 1"F>> 3/4" M



EACH

TORX PLUS **IMPACT** SOCKETS

Commonly used on Subaru / Nissan flywheel bolts

■ 78mm long

■ 1/2" Sq Drv

TP50 ET9350

TP55 ET9351

LONG WHEEL NUT SOCKET SET

ET2049

*WSL 150mm long

DA7387

Ideal for recessed 1/2" Sq Drv

wheel nuts.





SPECIALIST 1/2" SO DRV IMPACT

TORX

HEX

T20 / T25 / T30 / T40 / T45 T50 / T55 / T60/T70

H4/H5/H6/H7/ H8/H9/H10/H12

/H14/H17/H19

















SPLINE

M4/M5/M6/M8 /M10/M12/M14 /M16/M18













E-TORX® SOCKET

■ T6-T70| **T8H-T60H**

■ 8IP-60IP I E4-E24





available in digital.



"LOK ON" BLOW GUN TIPS

Push fit connector actively locks on – won't come off until collar lifted. Suits all Air Boy 8mm dia blow guns.





VACUUM / BLOW GUN KIT





SONSBEEK

SONSBEEK





SONSBEEK



THRUST GUNS



CARAMEL WHEEL

Removes pin stripes, decals & stickers from vehicle paint work without damage.





1/2" HIGH POWER



1/2" COMPACT





BONUS ET0035

LOW PROFILE 1/2" IMPACT SOCKETS

For new generation COMPACT impact wrenches, All ESSENTIAL sizes, especially 15mm for Commodore harmonic balancers

SIZES: 13mm - 19mm + 21mm, 22mm, 24mm



3/4" COMPACT



AIR SAW



MINI ORBITAL SANDER



DIE GRINDER KIT



AIR ENGRAVER



75MM POLISHER PAD KIT FOR ROLOC STYLE SANDERS

Convert your mini sander to a polisher. Great for headlight restoration, scratch removal, small area polishing. All pads 75mm diameter. 4 pieces only.





3" POLISHER KIT



AIR HAMMER KIT



AIR RATCHET WRENCHES



ROLOC STYLE SANDER



CUP WRENCH KIT 27mm / 6F, 32mm / 6F, 36mm / 6F, 64.5mm / 9 PCE 14F (Corolla) 64.5mm / 14F (Toyota 6 Cyl), 74.2mm / 14F, 86.6mm /16F, 88.8mm /15F, Adjustable 63-83mm

OIL FILTER WRENCHES

TOYOTA OIL FILTER WRENCH SET

- Twin pack for Toyota 4 Cyl & 6 Cyl / 8 Cyl
- FORGED not cast, for extra durability

TOYOTA OIL FILTER DRAIN TOOL

Prevents oil spillage when draining oil filters (M20 x P1.5 thread). Depresses one way valve



ET9020



WRENCH





TRUCK



DRAIN PAN SET W/SPOUTS

ET9921

2 PCE

Two large drain pans with inbuilt spout / anti splash lip. Large handles for easy carrying. Purpose made for oil / antifreeze recovery.





HOSE CLAMPS

500MM HOSE CLAMP DRIVER

Locking end holds bits / sockets securely onto driver so they won't come off in the engine bay.

- 1/4" Sg Dry guick release head
- 1/4" hex quick release bit holder
- 1/4" Sa Dry sockets: 5, 6, 7, 8, 10mm
- Phillips bits: #1, #2 / Slotted: 4, 6.5mm
- Torx bits: T10, T15, T20, T25, T27, T30

SPILL FREE FUNNEL

Eliminates trapped air pockets. Includes adaptors for most vehicles.

- Threaded cap / adaptors for Ford surge tanks / Holden threaded style
- Angled neck / extensions for hard to reach radiator caps





OIL FLASK & MEASUREMENT PACK Twin pack of 5L flasks, with lid /

FUNNELS / FLASKS

spout.



124102185

Air-Boy

TWIN PACK

HOLDEN OIL FUNNEL

Threaded collar suits Holden vehicles.

Transparent lower chamber



ET1039B

31 PCE

ET1271



For replacement of fuel, oil and water hoses. Convenient for working in confined areas / extended distances.




DA9989A

17 PCE

FLEXIBLE

HOSE CLAMP PLIER KIT

A versatile kit that services most flat band and right style hose clamps.







Regulate ali

Powerful radiator flushing gun, with stepped nozzle.

New design allows for both the water pressure and the air pressure to be independently regulated, for a better clean.

Nozzle can be swapped out /



KEY FEATURES

RADIATOR **PRESSURE**

TESTER

New UPDATED kit includes right angle adaptor, and new VAG adaptor.

Plus vacuum purge / refill tool, adaptors for Ford BA, Mondeo



ET4293



*ALL PRICING EXCLUDES GST

MAGNETIC **OIL DRAIN** TOOL

ANTI FREEZE TESTER **ETHYLENE** GLYCOL

Number of floating discs Tests at both cold & hot temperatures. Orange disc shows over protection / loss of efficiency.

OIL DRAIN PLUG KEYS

HEX: 8, 9, 10, 12, 14,

SQUARE: 7, 8, 10, 11, 12, 13, 14mm /5/16", 3/8" / 10mm (female) SPLINE (SEC): M16



ADBLUE, **COOLANT & BATTERY FLUID** REFRACTOMETER

Accurately measures the strength of battery fluid. screenwash, antifreeze (including synthetics) and aqueous / urea AdBlue® content.





ET1501



indicates coolant strength.

STRETCH BELT KITS

FORD FALCON SPARK PLUG **REMOVAL KIT 5.4L V8 TRITON ENGINES (PETROL)**

An essential service kit for removing broken spark plugs. The key feature of the kit being that it removes the broken sleeve from the cylinder head.

In most cases, avoiding the costly need to remove the cylinder head



FORD / VAG HOSE CLIP FITTING TOOL

For clipless, preopened spring band clamps. Essential tool for releasing pre-tensioned clips that clamp the coolant hose on many VAG vehicles, and more recently the Ford range from 2018.

- Design allows different angles of release.
- Equivalent to VAS 531 001 for clipless pre-opened Spring Band Clamps (SBC).



FLEXIBLE MULTI RIBBED BELTS

Specialised kit for flexible multi ribbed belts in vehicles without automatic drive belt tensioners.



UNIVERSAL STRETCH FIT TOOL

Universal stretch belt fitting tool for most modern vehicles. A guaranteed time saver.



HI TENSION SYSTEM

Neon tubes glow to indicate if signal is present. Simply plug into spark leads then connect to high tension leads.



INLINE IGNITION SPARK

set tester between the spark plug and lead. Start engine to obtain a quick and simple fault diagnosis.



SPARK PLUG FIRING

Checks spark to measure ignition voltage without removing spark plug. For conventional and electric ignition systems.



THIN WALL SPARK PLUG SOCKETS

12 POINT | MAGNETIC

Current model Bosch spark plugs



ET1194-01

12 POINT | UNI JOINT (RUBBER INSERT)

Thin wall sockets for spark plugs installed at an angle. With rubber inserts to grip spark plugs



ET1194-02



ET4090A

ET1194-03

NEW

ET3102

ET8745

CENTRING VALVE SOCKET

- For centring valve on BMW Vanos / Ford VCT
- 16 Point | 22mm dia
- OEM Equiv: 303-1661-3

ATF TRANSMISSION FILLERS

ET4088



MERCEDES ATF FILLER KIT 725.0 TRANSMISSIONS

For refilling 725.0 (9G-Tronic) transmissions Adaptor replaces plug on transmission to allow filling.



ET0048M

ET9106

MANUAL FILLER

An economic solution for where a hand pump only will suffice



AIR / HAND POWERED

Air powered option for professional workshops.

Adaptor kit includes VW DSG, VZ Commodore, Falcon

■ Large 12.5L tank



AIR CON

DISCONNECT

TOYOTA A/C SPRING LOCK TOOLS



UNIVERSAL A/C CLUTCH HOLDING TOOL

Holds air con clutch plate when servicing clutch hub.

Fits various styles of A/C compressors used on Ford, Holden & Chrysler vehicles. Also fits a variety of other



AUSTRALIA'S LARGEST RANGE OF ENGINE TIMING TOOLS

CAMSHAFT PULLEY REMOVER

Holds the camshaft pulley and keeps it stationary while loosening / tightening the centre shaft bolt.

- Locking screw thread size: M8 | M10
- Fixed distance: 54 120mm



TOYOTA BELT TENSIONER

Compresses hydraulic tensioner to allow timing belt replacement.

5VZ-FE | 3.4L V6 and 4 01 4 31 4.7L V8 engines



basket on DSG transmissions OEM Equiv: T10303



UNIVERSAL TIMING GEAR HOLDER

Holds cam gear while removing cam shaft bolt. Three positions for a wide application range (50 -150mm).



ADJUSTABLE CAMSHAFT PULLEY HOLDING TOOL

Four pairs of interchangeable pins provide universal applications for holding the camshaft pulley while servicing

SUITS: Ford Ranger (OEM Equiv 303-1196) and Toyota Hi-Ace (#10 pins)

the centre shaft bolt





jump starters • riveters

12V CARS / SUVS



MEMORY SAVER CABLES



vehicle codes / radio settings when changing

Simply connect these cables to the vehicle OBDII port, and then to another 12V power



RIVNUT | RIVBOLT RIVETERS



BATTERYLESS 24V TRUCK

An innovative solution for jump starting 24V trucks. Using capacitors, rather than batteries, they charge faster, and are safer from a storage perspective. Charging is easy too... either from the residual power in the battery, or else from any automotive battery. Ideal to keep onboard, for emergency situations.



AIR RIVETERS

3/16" AIR RIVETER KIT Quality kit for rivets up to

3/16" mild steel.

Max air pressure: 90 PSI

Aluminium / mild steel only

1/4" AIR RIVETERS

 3 Jaw Nose pieces: 1/8" I

5/32" | 3/16" | 1/4"

Traction power: 1,700kg



AT113

MILD STEEL



rechargeable torches - battery testers







- Powerful magnet for hands free use
- 270 degrees rotation
- IP65 rated
- Up to 4 hours runtime
- Amber safety blinker mode
- **USB** charging
- 6,600 mAh battery



GROZ

ET0021



360° PIVOT SLIMLINE SERIES

MINI SLIMLINE

- 3.7V / 1200 mAh
- COB LEDs

FRONT: 150 Lumen TOP: 30 Lumen



LED HEADLAMP WITH SENSOR

The latest LED technology

an incredible 200 Lumens

Adjustable head straps, including helmet clips

Water resistant (IP54)

■ 200 Lumens (full power

mode / 3hr runtime) /80 Lumens (half

power/7hrruntime)

hands free operation!

With sensor mode,

wave in front to

switch on / off -

USB charging

output - with manual or sensor



UNDERBONNET LIGHT

Corded light performance with rechargeable light convenience! Brighter, and with larger battery than comparable products. Extra wide (extends to 210cm) - to fit SUVs / Light trucks.

4,400mAh battery

Hands free

Flood beam





12V BATTERY TESTERS

12V LEAD ACID

Tests all 12V auto batteries including lead, AGM, EFB, **GEL etc. Tests** battery condition PLUS charging (alternator) and starter (crank)

Testing range 100-2,000CCA



12V LITHIUM

Advanced tester for 12V lithium batteries.

Also suitable for testing motorcycle batteries.

Testing range 20-1,000 CCA



12V / 24V TESTERS (W/ PRINTER)

Test battery charge / health for all 12V auto batteries and alternator / crank systems for 12V / 24V batteries, including new stop start batteries.

Print test results using the built in printer.

- Tests all main
- battery standards Max load voltage tests for 12V / 24V
- Short circuit / reverse polarity protection



Expanded coverage of new auxiliary batteries for Toyota hybrids.

Two year warranty.



PROFESSIONAL CLAMP METERS

PARASITIC DRAIN / **LOW CURRENT**

Extremely accurate meter for dark current & alternator charging current measurement. For professional workshops.

- 4,000mA DC range for dark current
- 40A 200A range for normal DC measurement
- Larger 20mm clamp size
- Shielded clamp core



AC / DC DIGITAL **CLAMP METER**

Starter current, alternator current & battery voltage measurement.

- 1,000A AC / DC,
- (CAT III 600V) Continuity, capacitance. diode tests
- 35mm max conductor diameter





diesel - workshop tools

SPECIALIST SOCKETS



SELF FLEXING FUEL LINE SOCKETS

Grab onto fuel lines in one swift motion. Sockets flex at 45°. Very limited standoff from engine. No torque loss when tightening.

Sizes: 11 | 13 | 14 | 15 | 17mm

Especially useful for BMW N54 | N55 | N63 engines





27, 29, 30, 32, 33, 34, 35, 36,

1-3/16, 1-1/4 1-5/16, 1-3/8. 1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4,1-13/16, 1-7/8, 2"







■ 10 - 19mm + 21, 22, 23, 24, 26mm

3/8,7/16,1/2,9/16, 5/8 11/16 3/4 13/16, 7/8, 15/16, 1"



DA7392 IMPERIAL

DA4001

TRIM REMOVAL

UNIVERSAL TRIM & CLIP REMOVAL KIT WITH MINI HAMMER

Universal kit for removing mouldings / trims from almost any vehicle. Includes 11 removal tools, plus a mini trim hammer.



O-RING

REMOVAL KIT Special rounded tips scratching components.

- 2x straight
- 2x offset
- Blade length 60mm &

TRIM & **UPHOLSTERY**

Remove

Angle | straight | wide | narrow | forked | tapered applications

Impact resistant high quality



DA5216

DIESEL INJECTOR REMOVAL

MERCEDES / SIEMENS / BOSCH / DENSO / DELPHI MASTER KIT

Full range of injector removal tools + BONUS M18 - 5/8" UNF adaptor.

- Hex bit sockets: 6.6mm | 7.6mm
- Universal joint: M18 x 1.5
- Special hex sockets: 27 | 28 | 29 | 30mm
- Injector grippers: 12 | 13.5 | 16 | 26mm
- Pull spindles: OT-M14x1.5 | OT-m16x1.5 LIT-M16x1 0 LIT-M17x1 0 LIT-M20x1 0 L IT-M25x1.0 | IT-M27x1.0 | OT-M25x0.5 | OT-M25x0.75 | OT-M27x1



MERCEDES **PRESSURE** VALVE

SOCKET For MRSF-ERE injection pumps on Mercedes diesel engines 33 Teeth 1/2" Sq Drv

avoid damaging / Ideal for removing o-rings, seals etc

upholstery, trim. trim studs etc




AUTOMOTIVE PULLERS



1" - 1-7/8", 1-5/16" - 2-3/8, 1-3/8" - 2-7/8" Use with 5/8-18 slide hammer

MULTI PURPOSE PULLER SET



PILOT BEARING PULLER

Forged alloy steel iaws open to a tapered cone to hook onto bearings.

■ 1/2" - 1-1/2" ID





COMPRESSION TESTERS

ET1228

4 PCE

PETROL / DIESEL **COMPRESSION TEST KIT**

Covers wide of modern engines including HDi / TDCi / Pumpe Duse.

- Included clamp on injectors, 0-50 Bar gauge, straight / right angled quick connect fittings, and extensive range of glow plug / injector adaptors. Additional gauge for incoming pressure.
- Suits most car / truck / agricultural /
- Spark plug sizes: 10 | 12 | 14 | 18mm
- Injectors: M20 | M22 | M24 & Ford Stanadyne injector clamp on injectormarine diesel engines.





PETROL FUEL INJECTION PRESSURE TESTER

Universal application. (0-120 PSI/ 0-800kPA). Quick coupling design



DIESEL COMPRESSION **TEST KIT**

Comprehensive kit suits a wide range of small passenger vehicles through light trucks

 Includes gauge assembly, glow plug test adaptors and universal "clamp on"



DIGITAL PRESSURE TESTER

Tests to 80 Bar / 1160 PSI. Test functions include:

- Oil pressure test Petrol compression /
- injection Diesel compression / low pressure







OPTIONAL ADAPTORS

Common petrol / diesel adaptors for use with the



INJECTOR SEAT **CLEANING KIT**

Avoid blow back due to poorly seated injectors.

 Washer removal tool, injector blanking plugs (stop debris entering cylinders), wire brush cleaning set for chamber walls and centralising stem for correct cleaning seating angle

Seat cutters: 17mm flat, 17mm angled.





workshop tools



BONNET SUPPORT CLAMP W/ **LOCKING PIN**

Aluminium tailgate support extends to 130cm to suit most SUVs / 4WDs.



PIN PUNCH & COLD CHISEL KIT

- 5, 6, 8, 10mn
- Cold chisels: 12, 20,




ET3084







STUBBY Made from hard wearing TPR Holds 12 stubby spanners.













27L / 600W

530 x 325 x 200mm

AJAX

Ideal for tool chests / any ferrous surface. Holds 12 spanners.

MAGNETIC



ETWR03

TPR PLASTIC Pair of forward/ reverse facing racks

Save precious




2 PCE



3L / 120W INNER: 240 x 140 x 100mm

10L / 240W INNER: 300 x 240 x 150mm

INNER:



Supplied with metal basket









1/2" SQ DRV

ET2275

50MM OPENING ET0810

TANG THRU PRY BAR SET With the THICKEST bars in Australia, for extra strength,

500mm

35MM OPENING


38MM OPENING

SUPER SLIM

ADJUSTABLE WRENCHES



3 PCE



ET0806

METRIC LSBM-6

■ 8x10 / 12x14 ■ 13x15 / 16x18

XL WRENCHES

O DEGREE

OFFSET

■ 17x19 / 22x24

IMPERIAL LSBM-6IMP

- 1/4 x 5/16
- 3/8 x 7/16
- 1/2 x 9/16
- 5/8 x 11/16
- 3/4 x 7/8
- 13/16 x 15/16

SOCKET TRAYS

Keep your sockets organised. Holds both standard / deep sockets. Sizes screen printed on top of posts for easy

SCREW EXTRACTORS

	METRIC	IMPERIAL
1/4"	ET9960	ET9960-IMP
3/8"	ET9962	ET9962-IMP
1/2"	ET9964	ET9964-IMP

FLUID TRANSFER / PRIMING



fluid connector /

10mm gear oil)

TRANSFER (SYRINGES

Robust plastic

construction Transparent design



1.5 LITRE

ET1797*

0.2 LITRE

EXTRACTORS 1/8, 1/4, 5/16. 7/16, 9/16,



HANDED DRILLS **2**, 3, 4, 5,

6,8mm

6 PCE



■ Tip drills out / grooved section removes

■ 1/4" hex shank (fits most impact drivers)

Removes bolts: 4-8mm

- 4.5mm








hand tools

Premium quality Sunflag drivers with the legendary

includes all popular sizes for driving both standard & security

blade lengths -

soft grip handles. These essential sets SUNFLAG Torx® screws. Available in two 150mm and 250mm SIZES: TIOH/TI5H/T20H/ T25H/T27H/T30H **150MM BLADES EKLIND COMBO HEX KEY SETS**



THANDLE WRENCH SET

A handy set for the

- Sizes: 8 | 9 | 10 | 11 | 12 | 13 | 14 | 17mm
- 250mm overall length



















WHC1-SET16-39

TORX8: T8 - T40

METRIC: 5/6/8/10mm

IMPERIAL: 050 / 1/16 / 5/64 / 3/32/7/64/1/8/9/64/5/32 /3/16/7/32/1/4/5/16/3/8"













STUBBY RATCHETS









9/16, 5/8, 3/4"



GRIP ON SHADOWBOARD

Professional quality locking pliers for workshop / welding use. Made in Spain, these pliers offer precision construction, and a superior epoxy finish.

Shadowboard offers convenient tool storage.





1236RH

SUNFLAG.

12 PCE MASTER KIT

PHILLIPS*: #0×75 /#1×75/#2×150/ #3×150mm

SLOTTED:

- 3.0×75mm
- 5.5×75mm 6.0×100mm 8.0×150mm
- 9.5×350mm STUBBY:

Ph: #2×30mm / #2 Mini / SI: 6.0 ×



SUNFLAG. SCRAPE Tang thru 16mm / 21mm blade widths

MULTI-DRIVE RATCHETING DRIVER

 Quality ratchet driver, with Multi-Drive bit

S.E.K.

One double ended bit drives Phillips® (#1]# 2]#3) PLUS slotted. Slot in screwdriver head drivers wing nuts etc



- Strikes blow when pressure applied.
- Cap adjusts force of blow.



Jaw openings: 5-7mm &



WOBBLE EXTENSION SETS

Superior SEK Quality.

Chrome Vanadium steel with hex heads for use with spanners. and knurling for better grip.

Made in Japan.

1", 2", 4", 6" & 10"













2",5" & 10"







QUICK CHANGE INT / EXT CIRCLIP PLIERS

- Two functions in one tool!
- Internal & external
- Ouick change!
- 4 tip sets 12mm 1.8mm in both straight & external

TUBE BENDER /

Hardened alloy cutting wheel.

copper/mild steel/plastic tubing.

SIZE RANGE: 3 - 15mm OD (1/8" - 5/8")

Cut aluminium / brass /

CUTTER SET



DA3770-3774

FEELER GAUGES



■ Blades: 85 x 13mm



OFFSET -IMPERIAL | METRIC ■ Sizes: 0.008" - 0.026"

■ Blades: 100 x 13mm

THREAD FILES

Restore damaged. worn or corroded threads. Suitable for threads.



METRIC ET1421

EACH

Thread pitch 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00

SURVIVOR SOCKETS



9-21MM

11-32MM

ET6276

ET6278

Bends copper, brass, aluminium and mild steel tubing, up to 180 degrees.

TUBE CAPACITY: 6 | 8 | 10mm **OVERALL LENGTH: 260mm**



B 3/8" SQ DRV

1/2"SQDRV





AIR BAG REMOVAL TOOL KIT

- Twelve essential tools for air bag removal.
- Applications include: Audi I Volkswagen | Skoda | Seat

| Vauxhall/Opel | BMW |







Makes locating shorts and opens quicker and more accurate than ever before. Now with directional / distance indication.

- Transmitter quickly determines if circuit has an open or if circuit is shorted to the ground.
- Receiver features a new adjustable distance
- Plus probes / alligator clips.











alleuroparts

parts@alleuroparts.co.nz | www.alleuroparts.co.nz | 0800 255 387 All items available at the time of printing - Some items may become backordered. Allow two weeks for delivery. All pricing excludes GST.

Stores advertised on this page of this catalogue are independent businesses. Every effort is made to ensure advertised stock is available, but due to factors beyond the control of Endeavour Tools Pty Ltd, products advertised in this catalogue may not be available at all stores. Pricing for products include GST are recommended only. Certain items may incur a freight charge in some stores. Endeavour Tools Pty Ltd reserves the right to correct printing errors and omissions. All sizes shown are approximate only, and accessories shown with the product are not included unless specified. All products in this catalogue were available at the time of preparation and Endeavour Tools will, within reason ensure stock of advertised product is available, but cannot be held responsible for unforseen shortfalls, beyond their control



















Euro Parts - E & OE Prices Valid: 01/05/19 till 31/07/19 © 2019